

Boat Manufactured By:



113 Sportsman Way • Summerville, SC 29483

(843) 376-2628

www.sportsmanboatsmfg.com

SPORTSMAN OPEN 212

Length	20' 11"
Beam	8' 5"
Dry Weight (Boat Mfr. Pub)	2,300 lbs
Maximum HP	250 hp
Fuel Capacity	64 gal
Weight as Tested	3,751 lbs

F250XSB2

Horsepower	250 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	611 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#4
Ventilation Plate Height	1" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15-1/2 x 17
Yamaha Part #	6CE-45978-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	67° F / 54° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 50 gallons of fuel, 2 batteries, safety and test equipment.

YPB#: PB_SPT_Open 212_0_F250XSB_2-27-2024_OCC



Engine: Yamaha F250XSB2

Boat: Sportsman Open 212

Configuration: Single

Test Date: 27-Feb-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	4.7	1.3	3.62
1500	6.7	2.1	3.17
2000	8.2	3.6	2.26
2500	14.4	4.9	2.96
3000	22.7	6.1	3.71
3500	29.1	7.7	3.80
4000	34.0	10.8	3.16
4500	38.0	13.5	2.82
5000	42.0	17.2	2.44
5500	45.8	23.1	1.99
5800	48.1	25.2	1.91
Time to Plane: 3.25 seconds
 0-30 MPH: 6.10 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves